

PLANEERIMIS - JA KINDLUSTUSTÖÖD

Tabel nr: 3.3

Asukoht / vahemik [Pk]	Planeerimine				Kindlustamine kasvu- mullaga h=10cm ja murukülv		Kindlustamine kasvumullaga h=10cm ja erosioonitõkke- mattidega
	Mulde pealispind	Nõlvad	Rekulti- veeritav ala	Mulde alt	Nõlvad	Rekulti- veeritav ala	Nõlvad
	m²	m²	m²	m²	m²	m²	m²
Mnt nr 52 ; km 5,2 - 11,6							
52+00 - 52+25	285	277	-	-	277	-	0
52+25 - 52+50	285	309	-	-	309	-	0
52+50 - 52+75	285	307	-	-	307	-	0
52+75 - 53+00	285	285	-	-	285	-	0
53+00 - 53+25	285	190	-	-	190	-	0
53+25 - 53+50	285	157	-	-	157	-	0
53+50 - 53+75	285	150	-	-	150	-	0
53+75 - 54+00	298	138	-	-	93	-	45
54+00 - 54+25	308	150	-	-		-	150
54+25 - 54+50	307	166	-	-		-	166
54+50 - 54+75	305	140	-	-	58	-	82
54+75 - 55+00	287	235	-	-	235	-	0
55+00 - 55+25	286	235	-	-	235	-	0
55+25 - 55+50	285	213	-	-	213	-	0
55+50 - 55+75	285	166	-	-	166	-	0
55+75 - 56+00	285	165	-	-	165	-	0
56+00 - 56+25	285	195	-	-	195	-	0
56+25 - 56+50	285	245	-	-	245	-	0
56+50 - 56+75	285	273	-	-	273	-	0
56+75 - 57+00	298	220	-	-	175	-	45
57+00 - 57+25	307	86	-	-		-	86
57+25 - 57+50	307	195	-	-		-	195
57+50 - 57+75	305	212	-	-	85	-	127
57+75 - 58+00	287	409	-	-	409	-	0
58+00 - 58+25	285	479	-	-	479	-	0
58+25 - 58+50	285	633	-	-	452	-	181
58+50 - 58+75	285	564	-	-	564	-	0
58+75 - 59+00	285	498	-	-	493	-	5
59+00 - 59+25	335	488	-	-	389	-	99
59+25 - 59+50	285	399	-	-	317	-	82
59+50 - 59+75	285	341	-	-	277	-	64
59+75 - 60+00	285	274	-	-	225	-	49
60+00 - 60+25	285	235	-	-	188	-	47
60+25 - 60+50	285	195	-	-	141	-	54
60+50 - 60+75	285	325	-	-	256	-	69
60+75 - 61+00	285	325	-	-	252	-	73
61+00 - 61+25	285	314	-	-	238	-	76
61+25 - 61+50	285	303	-	-	227	-	76
61+50 - 61+75	285	234	-	-	215	-	19
61+75 - 62+00	285	213	-	-	213	-	0
62+00 - 62+25	285	218	-	-	218	-	0
62+25 - 62+50	285	219	-	-	219	-	0
62+50 - 62+75	285	257	-	-	257	-	0
62+75 - 63+00	285	283	-	-	283	-	0
63+00 - 63+25	297	347	-	-	347	-	0
63+25 - 63+50	407	305	-	-	305	-	0
63+50 - 63+75	305	295	-	-	295	-	0
63+75 - 64+00	285	273	-	-	273	-	0
64+00 - 64+25	351	181	-	-	181	-	0
64+25 - 64+50	350	32	-	-	32	-	0
64+50 - 64+75	285	0	-	-		-	0

Asukoht / vahemik [Pk]	Planeerimine				Kindlusta-mine kasvu- mullaga h=10cm ja murukülv		Kindlustamine kasvumullaga h=10cm ja erosioonitõkke- matidega
	Mulde pealispind	Nõlvad	Rekulti- veeritav ala	Mulde alt			
					Nõlvad	Rekulti- veeritav ala	Nõlvad
	m²	m²	m²	m²	m²	m²	m²
64+75 - 65+00	302	0	-	-		-	0
65+00 - 65+25	327	0	-	-		-	0
65+25 - 65+50	351	0	-	-		-	0
65+50 - 65+75	359	0	-	-		-	0
65+75 - 66+00	359	5	-	-	5	-	0
66+00 - 66+25	356	38	-	-	38	-	0
66+25 - 66+50	335	41	-	-	41	-	0
66+50 - 66+75	310	28	-	-	28	-	0
66+75 - 67+00	288	187	-	-	187	-	0
67+00 - 67+25	284	228	-	-	228	-	0
67+25 - 67+50	284	232	-	-	221	-	11
67+50 - 67+75	284	304	-	-	235	-	69
67+75 - 68+00	284	343	-	-	268	-	75
68+00 - 68+25	284	393	-	-	313	-	80
68+25 - 68+50	284	408	-	-	328	-	80
68+50 - 68+75	284	370	-	-	291	-	79
68+75 - 69+00	284	254	-	-	254	-	0
69+00 - 69+25	284	203	-	-	203	-	0
69+25 - 69+50	284	160	-	-	160	-	0
69+50 - 69+75	284	139	-	-	139	-	0
69+75 - 70+00	284	137	-	-	137	-	0
70+00 - 70+25	284	110	-	-	110	-	0
70+25 - 70+50	284	102	-	-	102	-	0
70+50 - 70+75	284	135	-	-	135	-	0
70+75 - 71+00	284	112	-	-	112	-	0
71+00 - 71+25	284	133	-	-	133	-	0
71+25 - 71+50	284	155	-	-	155	-	0
71+50 - 71+75	284	189	-	-	189	-	0
71+75 - 72+00	284	185	-	-	185	-	0
72+00 - 72+25	284	178	-	-	178	-	0
72+25 - 72+50	284	207	-	-	207	-	0
72+50 - 72+75	284	225	-	-	225	-	0
72+75 - 73+00	284	229	-	-	229	-	0
73+00 - 73+25	284	219	-	-	219	-	0
73+25 - 73+50	362	197	-	-	197	-	0
73+50 - 73+75	358	209	-	-	209	-	0
73+75 - 74+00	290	251	-	-	251	-	0
74+00 - 74+25	374	242	-	-	240	-	2
74+25 - 74+50	320	326	-	-	253	-	73
74+50 - 74+75	284	35	-	-	30	-	5
74+75 - 75+00	284	155	-	-	126	-	29
75+00 - 75+25	284	276	-	-	223	-	53
75+25 - 75+50	284	352	-	-	286	-	66
75+50 - 75+75	284	388	-	-	324	-	64
75+75 - 76+00	334	289	-	-	289	-	0
76+00 - 76+25	334	334	-	-	334	-	0
76+25 - 76+50	334	289	-	-	289	-	0
76+50 - 76+75	284	185	-	-	185	-	0
76+75 - 77+00	284	121	-	-	121	-	0
77+00 - 77+25	284	158	-	-	158	-	0
77+25 - 77+50	284	184	-	-	184	-	0
77+50 - 77+75	284	155	-	-	155	-	0
77+75 - 78+00	284	133	-	-	133	-	0
78+00 - 78+25	284	72	-	-	72	-	0
78+25 - 78+50	284	110	-	-	110	-	0
78+50 - 78+75	284	160	-	-	160	-	0

Tabel nr. 3.3

Asukoht / vahemik [Pk]	Planeerimine				Kindlusta-mine kasvu- mullaga h=10cm ja murukülv		Kindlustamine kasvumullaga h=10cm ja erosioonitõkke- matidega
	Mulde pealispind	Nõlvad	Rekulti- veeritav ala	Mulde alt	Nõlvad	Rekulti- veeritav ala	Nõlvad
	m²	m²	m²	m²			
78+75 - 79+00	284	204	-	-	204	-	0
79+00 - 79+25	284	284	-	-	284	-	0
79+25 - 79+50	284	307	-	-	307	-	0
79+50 - 79+75	284	301	-	-	301	-	0
79+75 - 80+00	297	254	-	-	207	-	47
80+00 - 80+25	307	158	-	-	56	-	102
80+25 - 80+50	307	75	-	-		-	75
80+50 - 80+75	304	79	-	-	38	-	41
80+75 - 81+00	285	179	-	-	179	-	0
81+00 - 81+25	284	219	-	-	219	-	0
81+25 - 81+50	284	178	-	-	178	-	0
81+50 - 81+75	284	184	-	-	184	-	0
81+75 - 82+00	284	227	-	-	227	-	0
82+00 - 82+25	284	157	-	-	157	-	0
82+25 - 82+50	284	220	-	-	220	-	0
82+50 - 82+75	284	205	-	-	205	-	0
82+75 - 83+00	284	164	-	-	164	-	0
83+00 - 83+25	284	104	-	-	104	-	0
83+25 - 83+50	284	185	-	-	185	-	0
83+50 - 83+75	284	191	-	-	191	-	0
83+75 - 84+00	284	210	-	-	210	-	0
84+00 - 84+25	284	222	-	-	222	-	0
84+25 - 84+50	284	178	-	-	178	-	0
84+50 - 84+75	284	203	-	-	203	-	0
84+75 - 85+00	284	211	-	-	211	-	0
85+00 - 85+25	284	197	-	-	197	-	0
85+25 - 85+50	284	145	-	-	145	-	0
85+50 - 85+75	295	123	-	-	92	-	31
85+75 - 86+00	307	130	-	-		-	130
86+00 - 86+25	307	157	-	-		-	157
86+25 - 86+50	307	104	-	-	3	-	101
86+50 - 86+75	281	140	-	-	140	-	0
86+75 - 87+00	274	172	-	-	172	-	0
87+00 - 87+25	274	207	-	-	207	-	0
87+25 - 87+50	274	264	-	-	264	-	0
87+50 - 87+75	274	291	-	-	291	-	0
87+75 - 88+00	274	288	-	-	288	-	0
88+00 - 88+25	274	287	-	-	287	-	0
88+25 - 88+50	274	276	-	-	276	-	0
88+50 - 88+75	274	264	-	-	264	-	0
88+75 - 89+00	274	267	-	-	267	-	0
89+00 - 89+25	274	274	-	-	274	-	0
89+25 - 89+50	274	278	-	-	278	-	0
89+50 - 89+75	274	247	-	-	247	-	0
89+75 - 90+00	285	175	-	-	167	-	8
90+00 - 90+25	307	126	-	-		-	126
90+25 - 90+50	307	250	-	-		-	250
90+50 - 90+75	307	51	-	-	3	-	48
90+75 - 91+00	289	154	-	-	154	-	0
91+00 - 91+25	284	188	-	-	188	-	0
91+25 - 91+50	284	214	-	-	214	-	0
91+50 - 91+75	284	166	-	-	166	-	0
91+75 - 92+00	284	253	-	-	253	-	0
92+00 - 92+25	284	50	-	-	50	-	0
92+25 - 92+50	284	97	-	-	97	-	0
92+50 - 92+75	292	145	-	-	145	-	0

Tabel nr. 3.3

Asukoht / vahemik [Pk]	Planeerimine				Kindlusta-mine kasvu- mullaga h=10cm ja murukülv		Kindlustamine kasvumullaga h=10cm ja erosioonitõkke- matidega
	Mulde pealispind	Nõlvad	Rekulti- veeritav ala	Mulde alt	Nõlvad	Rekulti- veeritav ala	Nõlvad
	m²	m²	m²	m²			
92+75 - 93+00	405	175	-	-	175	-	0
93+00 - 93+25	309	197	-	-	197	-	0
93+25 - 93+50	331	112	-	-	112	-	0
93+50 - 93+75	368	142	-	-	142	-	0
93+75 - 94+00	285	169	-	-	169	-	0
94+00 - 94+25	284	172	-	-	172	-	0
94+25 - 94+50	284	165	-	-	165	-	0
94+50 - 94+75	284	164	-	-	164	-	0
94+75 - 95+00	284	161	-	-	161	-	0
95+00 - 95+25	284	158	-	-	158	-	0
95+25 - 95+50	284	148	-	-	148	-	0
95+50 - 95+75	285	136	-	-	136	-	0
95+75 - 96+00	285	125	-	-	125	-	0
96+00 - 96+25	285	110	-	-	110	-	0
96+25 - 96+50	286	137	-	-	137	-	0
96+50 - 96+75	302	78	-	-	9	-	69
96+75 - 97+00	307	150	-	-		-	150
97+00 - 97+25	307	169	-	-		-	169
97+25 - 97+50	291	170	-	-	164	-	6
97+50 - 97+75	284	234	-	-	234	-	0
97+75 - 98+00	284	261	-	-	261	-	0
98+00 - 98+25	284	267	-	-	267	-	0
98+25 - 98+50	284	178	-	-	178	-	0
98+50 - 98+75	284	247	-	-	247	-	0
98+75 - 99+00	284	254	-	-	254	-	0
99+00 - 99+25	284	271	-	-	271	-	0
99+25 - 99+50	284	227	-	-	227	-	0
99+50 - 99+75	284	137	-	-	137	-	0
99+75 - 100+00	284	171	-	-	171	-	0
100+00 - 100+25	284	148	-	-	148	-	0
100+25 - 100+50	284	185	-	-	185	-	0
100+50 - 100+75	284	339	-	-	339	-	0
100+75 - 101+00	284	607	-	-	463	-	144
101+00 - 101+25	284	773	-	-	533	-	240
101+25 - 101+50	334	478	-	-	462	-	16
101+50 - 101+75	334	452	-	-	452	-	0
101+75 - 102+00	334	412	-	-	412	-	0
102+00 - 102+25	294	321	-	-	321	-	0
102+25 - 102+50	284	79	-	-	79	-	0
102+50 - 102+75	284	94	-	-	94	-	0
102+75 - 103+00	284	107	-	-	107	-	0
103+00 - 103+25	284	123	-	-	123	-	0
103+25 - 103+50	284	189	-	-	189	-	0
103+50 - 103+75	284	220	-	-	220	-	0
103+75 - 104+00	284	138	-	-	138	-	0
104+00 - 104+25	284	94	-	-	94	-	0
104+25 - 104+50	284	138	-	-	138	-	0
104+50 - 104+75	284	146	-	-	146	-	0
104+75 - 105+00	284	163	-	-	163	-	0
105+00 - 105+25	294	190	-	-	190	-	0
105+25 - 105+50	294	181	-	-	181	-	0
105+50 - 105+75	284	123	-	-	123	-	0
105+75 - 106+00	283	136	-	-	136	-	0
106+00 - 106+25	283	166	-	-	166	-	0
106+25 - 106+50	284	220	-	-	220	-	0
106+50 - 106+75	284	232	-	-	232	-	0

Tabel nr. 3.3

Asukoht / vahemik [Pk]		Planeerimine				Kindlusta-mine kasvu- mullaga h=10cm ja murukülv		Kindlustamine kasvumullaga h=10cm ja erosioonitõkke- matidega
		Mulde pealispind	Nõlvad	Rekulti- veeritav ala	Mulde alt	Nõlvad	Rekulti- veeritav ala	Nõlvad
		m²	m²	m²	m²	m²	m²	m²
106+75 - 107+00		284	178	-	-	178	-	0
107+00 - 107+25		294	155	-	-	155	-	0
107+25 - 107+50		926	142	-	-	142	-	0
107+50 - 107+75		302	206	-	-	206	-	0
107+75 - 108+00		303	292	-	-	292	-	0
108+00 - 108+25		299	304	-	-	304	-	0
108+25 - 108+50		285	336	-	-	336	-	0
108+50 - 108+75		328	314	-	-	314	-	0
108+75 - 109+00		419	237	-	-	237	-	0
109+00 - 109+25		363	193	-	-	193	-	0
109+25 - 109+50		345	179	-	-	134	-	45
109+50 - 109+75		305	39	-	-	26	-	13
109+75 - 110+00		290	55	-	-	55	-	0
110+00 - 110+25		315	41	-	-	41	-	0
110+25 - 110+50		369	64	-	-	64	-	0
110+50 - 110+75		445	54	-	-	54	-	0
110+75 - 111+00		391	57	-	-	57	-	0
111+00 - 111+25		399	31	-	-	31	-	0
111+25 - 111+50		277	154	-	-	154	-	0
111+50 - 111+75		288	197	-	-	197	-	0
111+75 - 112+00		294	269	-	-	267	-	2
112+00 - 112+25		300	435	-	-	319	-	116
112+25 - 112+50		305	470	-	-	346	-	124
112+50 - 112+75		309	201	-	-	111	-	90
112+75 - 113+00		309	382	-	-	274	-	108
113+00 - 113+25		304	329	-	-	276	-	53
113+25 - 113+50		298	335	-	-	256	-	79
113+50 - 113+75		292	241	-	-	241	-	0
113+75 - 114+00		286	242	-	-	242	-	0
114+00 - 114+25		284	258	-	-	258	-	0
114+25 - 114+50		284	259	-	-	259	-	0
114+50 - 114+75		294	158	-	-	158	-	0
114+75 - 115+00		294	200	-	-	200	-	0
115+00 - 115+25		294	312	-	-	312	-	0
115+25 - 115+50		294	294	-	-	294	-	0
115+50 - 115+75		294	272	-	-	272	-	0
115+75 - 116+00		294	272	-	-	272	-	0
116+00 - 116+25		294	277	-	-	277	-	0
116+25 - 116+50		291	249	-	-	249	-	0
116+50 - 116+76		223	209	-	-	209	-	0
Ristmikud	Mnt 24165; Paistu - Holstre pk109+87	2430	310	-	-	310	-	0
	Mnt 24164; Holstre - Mönnaste pk 111+38	655	525	-	-	525	-	0
Jalgteed ja jalgrööd	107+00 - 108+80	790	832	-	-	740	-	92
	109+90 - 114+92	2477	2105	-	-	2105	-	0
KOKKU		83 675	58 700	0	0	53 592	0	5 108

Märkused: Nõlva kindlustus munakivisillutisega on antud katendi ehitusmahtude tabelis